

frisco[®]
by **chewy**



**59" Cat Tree
Product Manual
SKU#180386, 180387**


**33 inch L x 23 inch W x 59 inch H
84 cm L x 58.5 cm W x 150 cm H**

Assembly Instructions

Please Read Through All Instructions Before Starting

Parts Included

Prior to assembly, please be sure to identify and sort all parts shown below.




Accessories




Call 1.800.672.4399 for questions

Assembly Instructions


Please Read Through All Instructions Before Starting




For easier assembly, insert all 4 posts inside to frame the apartment from each corner. Use the allen wrench to locate and align the holes between apartment board and post, then loosely attach the screws at both ends without completely tightening. Repeat for all corners. Then, tighten all 8 screws to finish apartment assembly.




Step 1.




Step 2.



Step 3.



Step 4.



Step 5.

FINISHED ASSEMBLY

Warning & Cautions

Please read and follow all warnings and instructions to avoid pet injury or property damages.

This cat tree is intended for single cat use only, please keep children away.

Keep all small parts away from children / pets to avoid choking hazards.

Keep all tools and instructions in a safe place for future reference.

Follow the instructions carefully and make sure you've completed each step.

Never climb, rock, shake, step or hang on the cat tree.

Place your cat tree indoors, away from direct sunlight or damp areas.

Cat trees should be placed on a flat, level surface for stability.

Check your cat tree often for loose screws or parts that might need re-tightening.

If your cat tree gets torn or damaged, please discard it.

The product photo may vary slightly from your fully assembled cat tree as this product is continually being enhanced.

Cleaning & Instructions

Spot clean stains and vacuum fur (using small handheld or attachment) when necessary.

Questions?

**Call our friendly customer service anytime.
We're here 24/7 at 1.800.672.4399**