INSTRUCTION MANUAL

AIR 10





- Firmly secure all bolts, screws and knobs before use.
- Reconfirm that all bolts, screws, and knobs are secure every 90 days.
- Fasten screws loosely during initial assembly. Do not fully tighten screws until the item is completely assembled.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Be aware that moving parts can injure, crush and cut.
- If any parts are missing, broken, damaged, or worn, stop using this product until repairs are made and/or factory replacement parts are installed.
- Do not use this item in a way inconsistent with the manufacturer's instructions as this could void the product warranty.

TOOLS REQUIRED









PHILLIPS SCREWDRIVER

DRILL (RECOMMENDED)

2PERSON ASSEMBLY

APPROXIMATELY 45MIN. ASSEMBLY

HARDWARE


















PARTS






















PARTS























Attach Part A, Part B and Part C by 6pcs of P2 screws.




Attach Part G to Part A and Part B by 4pcs of P2 screws.




Attach the pen Part D, Part E, Part F by 4pcs of P2 screws.




Attach the pen to hutch by 2pcs of P1 screws.




Repeat on the other side.




Slide in the tray Part J.



Put in 2pcs of Part H to be UPWARDS direction to seperate the urine & poop.
Then slide in the tray Part I.



Screw the feeder to Part C by 2pcs of P5 screws. Then put in the rabbit chewing toy P6.




09

Screw the ramp Part M to the bar on the Part G by 4pcs of P4 screws.


Screw 2pcs of eye hook P8 on the front door of pen.

(The are pre-drilled holes to screw in)


Then hang with the front ramp.{Use only when needed}




Screw the roof hinge to the back by 3pcs of P4 screws on each side.




Screw the roof hinge P7, one side to the roof by P4x2 the other side to the right panel by P4x2.




Attach the pen roof Part K by 4pcs of P2 screws. Stick PVC curtain "P" to the hutch door.



Screw two casters without brake Part Q to the front of hutch legs by P3x8.



Screw two brake casters Part R to the back of hutch legs by P3x8.



HELP CENTER

Question about your product? we're here to help contact us via



service@aivituvin.com











THANK YOU

Thanks for your support to Aivituvin.

Your satisfaction is our #1 priority.

Once the items are received, opened, and deemed to be faulty or other problems.

Pls contact us at **service@aivituvin.com** for the solution.

We will feedback to you within 24 hours.

If you are happy with the shopping ,welcome to share photos and thoughts with others .





WARNING

Manufacturer and seller expressly disclaim any and all liability for personal injury,property damage or loss,whether direct,indirect,or incidental,resulting from the incorrect attachment,improper use,inadequate miantenance,or neglect of this product.