



treatment spray for dogs

Kills fleas, flea eggs, flea larvae, ticks, and lice. For dogs over 6 months.

ACTIVE INGREDIENTS:

Pyrethrins	0.180 %
2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy]pyridine	
*N-Octyl bicycloheptene dicarboximide	
OTHER INGREDIENTS	98.738 %
TOTAL	100.000%

^{*}MGK® 264, Insecticide Synergist

KEEP OUT OF REACH OF CHILDREN

CAUTION PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE): Mixers, loaders, applicators, and other handlers must wear: long-sleeved shirt and long pants, shoes plus socks, chemical-resistant gloves. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent or hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS: Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. User should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and other aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment wash water or rinsate.

PHYSICAL OR CHEMICAL HAZARDS: Flammable. Keep away from heat and open flame.

FIRST AID

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing eyes. Call a poison control center for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide concerns), you may call 1-888-740-8712.

Kills the following listed insects on contact: American Dog Ticks, Brown Dog Ticks, Deer Ticks, Fleas, Gulf Coast Ticks, Lice, Lone Star Ticks, other Ixodid species, Ticks that may carry and transmit Lyme disease.

Advantage® Treatment Spray for Dogs contains a combination of ingredients that stops the flea life cycle and kills other listed insects.

The first active ingredient is Nylar®, an insect growth regulator which inhibits development of the immature stages of the flea for 100 days, preventing them from reaching the adult stage. Nylar® is similar to insect growth hormones that occur naturally in insects.

The second active ingredient is the botanical insecticide, Pyrethrins, which provides effective knock-down and quick-kill of insects upon direct contact. The third active ingredient enhances the killing activity of Pyrethrins.

The combination of ingredients in Advantage® Treatment Spray for Dogs kills

adult fleas, and hatching fleas and flea eggs for 100 days before they grow up to bite. Nylar® continues to kill hatching fleas and flea eggs for 100 days by preventing their development into the adult biting stage. Advantage® Treatment Spray for Dogs can also be used to kill fleas hidden in carpets, rugs, draperies, upholstery, pet bedding, floor cracks, and cabinets. Occasionally adult fleas may be present in treated areas when reintroduced from infested animals.

As part of a complete flea control program, treat pets and indoor areas where animals frequent using EPA registered outdoor spray and flea and tick spray. This product may be applied as a direct, contact spray to kill fleas, ticks, and other listed insect pests on premises.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE EACH USE.

USE RESTRICTIONS:

THIS PRODUCT IS FOR INDOOR USE ONLY.

USE ONLY ON DOGS. CONSULT A VETERINARIAN BEFORE USING THIS PRODUCT ON DEBILITATED, AGED, PREGNANT OR NURSING ANIMALS.

Not for use in outdoor residential misting systems (indoor or outdoor) or outdoor metered release systems.

DO NOT TREAT DOGS UNDER 6 MONTHS OF AGE WITH THIS PRODUCT.

Do not use in aircraft cabins.

Do not wet articles to point of runoff or drip.

Do not use treated articles until spray has dried.

Application of this product is prohibited directly into sewers or drains, or to any area like a gutter where drainage to storm sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow this product to enter any drain during or after application.

FOR DOGS: Cover animal's eyes with a hand. Do not spray directly on mouth, nose, or eyes. Spray head, ears, and chest until damp. With fingertips, rub into face and around mouth, nose, and eyes. Then spray from neck to tail, finishing legs last. For best penetration of spray to skin and on heavy-coated animals, direct spray against the natural lay of the hair, spraying the ruffled hair directly behind the hand. Make sure the spray thoroughly wets ticks. When used on miniature and toy breeds of dogs, towel-dry the animal after ½ hour if not totally dry. Avoid contact with genitalia. Repeat as required but not more often than once every 7 days (1 week).

FOR PUPPIES OVER 6 MONTHS: Wrap the animal in a towel that has been sprayed lightly with this product. Leave eyes, nose, and mouth exposed. Put some spray on the finger and gently rub around eyes, nose, and mouth area. Keep animal wrapped for 5 to 10 minutes. Fleas may then be removed from the coat by picking or combing. For best results, all dogs should be treated with a similar flea control product such as Advantage® Treatment Spray for Dogs to prevent reinfestation. Do not spray directly on puppies. Avoid contact with genitalia. Repeat as required, but not more often than once every 14 days (2 weeks). Sensitivities may occur after using any pesticide product on pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage

Keep this product in its tightly closed original container when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals and food and pet food.

Container Disposal

Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

EPA Reg. No. 1021-1704-11556 EPA Est. No. 11623-GA-3 Distributed by Bayer HealthCare LLC, Animal Health Division, P.O. Box 390, Shawnee Mission, Kansas 66201 USA For consumer questions, call 1-800-255-6826.

Bayer

©2014 Bayer HealthCare LLC
Bayer, the Bayer Cross and Advantage are registered trademarks of Bayer.
MGK is a registered trademark of McLaughlin Gormley King Company.
81879311, R.0
81879281, R.0
523798